

**GOVERNMENT OF INDIA
OFFICE OF THE SUPERINTENDING ARCHAEOLOGIST
ARCHAEOLOGICAL SURVEY OF INDIA
BHUBANESWAR CIRCLE, TOSHALI APARTMENT, BLOCK-VI
SATYANAGAR, BHUBANESWAR - (ORISSA)**

No.:5/5/78/15/16/W-1455 to 1460

Dated.14.06.2016

NOTICE INVITING TENDER

(Two Cover System –Technical & Price Bids)

For and on behalf of The President of India, Superintending Archaeologist, Archaeological Survey of India, Bhubaneswar Circle, Bhubaneswar, Odisha invites sealed Financial & Technical Bids in sealed cover for the following work from reputed, eligible and experienced Agencies / Firms /Contractor having experience in conservation of ancient heritage structure for **“Interior Partition & Aluminium Glazed doors at Composite Office Building, Samantarapur, Bhubaneswar”**

- The details of tender notification can be seen and downloaded from our official websites: www.asi.nic.in and <https://www.asibbsrcircle.in/www.eprocure.gov.in>

- Important dates**

Sale of bid Documents up to:	01.07.2016 up to 17.00hrs
Last Date of submission of bids:	04.07.2016 up to13.00hrs
Opening of Technical bids:	04.07.2016 upto15.30hrs
Opening of Price Bids	Will be informed to the bidders who have qualified in the Technical Bid in cover I at a later date

Sl No	Specifications of work	QTY	Rate	Remaks
01	(Providing and fixing partition up to ceiling height consisting of G.I. frame and required board, including providing and fixing of frame work made of special section power pressed/roll form G.I. sheet with zinc coating of 120gms/sqm (both side inclusive), consisting of floor and ceiling channel 50mm wide having equal flanges of 32mm and 0.50mm thick, fixed to the floor and ceiling at the spacing of 610mm centre to centre with dash fastener of 12.5mm dia meter 50mm length or suitable anchor fastener or metal screws with nylon plugs and the studs 48mm wide having one flange of 34mm and other flange 36mm and 0.50mm thick fixed vertically within flanges of floor and ceiling channel and placed at a spacing of 610mm centre to centre by 6mm dia bolts and nuts, including fixing of studs along both ends of partition fixed flush to wall with suitable anchor fastener or metal screws with nylon plugs at spacing of 450mm centre to centre, and fixing of boards to both side of frame work by 25mm long dry wall screws on studs, floor and ceiling channels at the spacing of 300mm centre to centre. The boards are to be fixed to the frame work with joints staggered to avoid through cracks, M.S. fixing channel of 99mm width (0.9mm thick having two flanges of 9.5mm each) to be provided at the horizontal joints of two boards, fixed to the studs using metal to	914.70 sqmt		Execution of work at Composite Office Building, A.S.I. office premises Samantarapur, Bhubaneswar Time period:- 3 months.

	<p>metal flat head screws, including jointing and finishing to a flush finish with recommended jointing compound, jointing tape, angle beads at corners (25mmX25mmX0.5mm), joint finisher and two coats of primer suitable for board as per manufacture's specification and direction of engineer in charge all complete.)</p> <ul style="list-style-type: none"> 66mm overall thickness partition using 8mm thick double skin non-asbestos multipurpose cement board reinforced with cellulose fibre manufactured through autoclaving process (High pressure steam cured) as per with suitable fibre cement screws. <p>Conditions:</p> <ul style="list-style-type: none"> Manufacturer of Non-asbestos Cement Boards should be Visaka Industries or Everest Industries. Manufacturer of All Type of Channels & Studs should be Gyproc India (Saint-Gobain) or equivalent. Materials are to be approved before execution of Work. 			
02	<p>Providing and applying white cement based putty of average thickness 1.0mm, of approved brand and manufacturer, over the non-asbestos cement board wall surface to prepare the surface even and smooth complete.</p> <p>Conditions:</p> <ul style="list-style-type: none"> Manufacturer of white cement based putty should be Birla White & Materials are to be got approved before execution of Work. 	1829.4 0 sqmt		
03	<p>Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade on new work (two or more coats) over and including water thinnable priming coat with cement primer.</p> <p>Conditions:</p> <ul style="list-style-type: none"> Manufacturer of distemper should be Asian Paints/Berger Paints or Similar & Materials are to be got approved before execution of Work. 	1829.4 0 sqmt		
04	<p>Tile (8mm thick) work in dado over 12mm thick bed of cement mortar 1:3 (1cement :3coarse sand) and jointed with grey cement slurry, including pointing in white cement mixed with pigment of matching shade complete.</p> <p>Conditions:</p> <ul style="list-style-type: none"> Manufacturer of distemper should be Somany or Kazaria & Materials are to be got approved before execution of Work. 	87.24 sqmt		
05	<p>Providing and fixing aluminium work with powder coated aluminium (minimum thickness of powder coating 50micron) for doors with extruded built up standard tubular sections/appropriate Z-sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing/panelling, C.P. brass/stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, panelling and dash fasteners to be paid for separately)</p>	937.65 kg		

	<p>Conditions:</p> <ul style="list-style-type: none"> • Manufacturer of Aluminium should be Hindalco Industries Ltd. (Aditya Birla Group) / Alom Group of Industries. • Thickness for both Fixed & Openable sections not to be less than 1.5mm. • Weight of Aluminium is to be checked & Quality of Materials are to be got approved before execution of Work. 			
06	<p>Providing and fixing glazing with float glass panes of 5.5mm thickness in aluminium doors with EPDM rubber/neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item)</p> <p>Conditions:</p> <ul style="list-style-type: none"> • Manufacturer of Glass Panes should be Saint-Gobain or AIS. • Materials are to be got approved before execution of Work. 	60.16 sqmt		
07	<p>Providing and fixing powder coated, minimum thickness of 50micron aluminum tubular handle bar 32mm outer dia, 3.0mm thick & 2100mm long with S.S. screws etc. complete as per direction of Engineer-in-Charge.</p> <p>Conditions:</p> <ul style="list-style-type: none"> • Manufacturer of Tubular Handles should be Hardwyn or equivalent and/or Powder coated, minimum thickness of 50micron aluminium American handle of length 200mm with S.S. screws etc. • Materials are to be approved before execution of Work. 	94 nos		
08	<p>Providing and fixing 100mm brass locks (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.</p> <p>Conditions:</p> <ul style="list-style-type: none"> • Manufacturer of Tubular Handles should be Godrej. • Materials are to be got approved before execution of Work. 	47 nos		
09	<p>Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS:6315, having brand logo embossed on the body/plate (stainless steel cover plate minimum 1.25mm thickness) with double spring mechanism and door weight up to 125kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge.</p> <p>Conditions:</p> <ul style="list-style-type: none"> • Manufacturer of Double Action Hydraulic Floor Spring should be Godrej or Hrdwyn. • Materials are to be got approved before execution of Work. 	47 nos		
		Total	2532500.00	

- The bid is of two cover system – Cover 1: Technical bid (Annexure I) and Cover 2: Price bid (Annexure II)
- Qualified and reputed bidders shall submit Tenders (both Cover - 1 Technical Bid & Cover2 Price Bid) within the date and time published by Superintending Archaeologist, Bhubaneswar Circle, Archeological Survey of India, Puratattva Nivas complex, Toshali Apartment, Block.VI(B).Satya Nagar, Bhubaneswar -751007,Odisha. First Cover (Technical Bid) Annexure I of Tender will be opened on same day at 15:30 hours in the office of the Superintending Archeologist, Bhubaneswar Circle, Archaeological Survey of India, Puratattva Nivas complex, Toshali Apartment, Block.VI (B).Satya Nagar, Bhubaneswar -751007,Odisha in the presence of the bidder(s) or their authorized representative(s), whoever will be present at the scheduled date and time. Opening of Cover-2 (price bid) will be intimated later to the bidders who have qualified in the Cover 1 Technical Bid (Annexure I)
- The sealed Tender should reach the above mentioned address, latest by 04.07.2016 at 13:00 Hours.
- Tenders must be accompanied by Earnest Money Deposit of Rs.50,650/- (2 % of the tender cost) which should be paid by Demand Draft favoring “Superintending archaeologist, Bhubaneswar Circle” payable at Bhubaneswar at the time of submission of bids along with the Technical Bid.
- Purchase Receipt of Tender paper or Demand Draft towards cost of Tender paper,
- Copy of Valid Contractor Licence, PAN Card, VAT clearance certificate
- Authenticated proof of turnover amount
- Copy of experience certificate from any State/Central Government organisation in similar work.
- Copy of Labour Licence/ESI/EPF registration certificate.

The “**Financial Bid**” contains BOQ as per prescribed format with item wise rate which will be both in figure and words and signed by the bidder in appropriate space. Cutting should be attested by the bidder positively.

- The financial bid will be opened only for those who have qualified as per the terms given in the “Technical Bid”.
- Bid documents can be obtained against a written request from 10.00 hrs to 17.00 hrs on all working days from **14.06.2016 to 01.07.2017** from the O/o Superintending Archaeologist, Archaeological Survey of India, Bhubaneswar Circle, Toshali Apartment, Satyanagar, Bhubaneswar, Orissa by depositing ₹525/- (₹.500+ 5 % VAT) (non-refundable) towards cost of bid document. Bid documents shall be sold only to the persons authorised in writing by the Agency/Firm / Contractor etc.
- Prospective Bidders may use the tender document downloaded from the website <http://www.asibbsr.in/asi.nic.in/www.eprocure.gov.in/> accompanying with two separate demand draft/pay order of ₹500/- as cost of tender papers and ₹25/- towards VAT failing which such tender document will be rejected
- Completed Bid documents shall be sealed in one envelope along with Earnest Money super scribing name of work, date and time of opening of bids and addressed to the **Superintending Archaeologist, Archaeological Survey of India, Bhubaneswar Circle, Bhubaneswar** & should be deposited in the specified Bid Box at ASI Office, Bhubaneswar Circle as mentioned on or before **13:00 hrs of 04.07.2016** The Technical Bid only shall be opened at 15:30 hours on the same day in the presence of the Bidders or their authorized representatives intending to attend the opening of bid.
- The Financial Bid will be opened after scrutinizing the Technical Bid and the date and time will be intimated in due course to the bidders who will qualified in the Technical Bid.

- Details of scope of the work, essential technical & financial qualifying criteria of Agencies / Firms, term and conditions etc. are also available in the above website.
- Any Bid received without Earnest Money in the form as specified in Bid documents & incomplete bid shall not be considered and shall be summarily rejected.
- ASI reserves the right to cancel the Bids before submission/opening of Bids, postpone the Bid submission/opening date and to accept/reject any or all Bids without assigning any reasons thereof. ASI's assessment of suitability as per eligibility criteria shall be final and binding.
- Bidders may note that they are liable to be disqualified at any time during Bid process in case any of the information furnished by them is not found to be true. EMD of such Bidder shall be forfeited. The decision of ASI in this regard shall be final and binding.
- The transfer of Bid documents purchased by one intending Bidders to another Bidder is not permissible. Bidders can submit Bids only on the documents purchased from ASI.
- The specifications of all the materials to be used should be got approved from the Engineer-In-Charge before start of work..
- **Time Period:-** 03 (Three) months.
- Eligibility of the bidders shall be assessed based on the “**Essential Qualifying Criteria**” as given in Annexure-A.

Essential Technical & Financial Qualifying Criteria:-

1. The Agency / Firms /Contractor must have earlier experience in execution of similar nature of conservation works attended at ancient temples, monuments, old heritage structures sites etc. Tender invited as per **Central Vigilance Commission's** guidelines as detailed below.
 - i) Average annual financial turn over during the last three years, ending 31st March of previous financial year should be at least 30 % of the estimated cost.
 - ii) Experience of having successfully completed similar works during last 7 years ending last days of month previous to the one in which the applications are invited should be either of the following:-
 - a) Three similar completed works of conservation of old monuments costing not less than the amount equal to 40 % of the estimated amount.

or
 - b) Two similar completed work of conservation of old monuments costing not less than the amount equal to 50 % of the estimated cost.

or
 - c) One similar completed work as above costing not less than the amount equal to 80% of the estimated cost.
 - iii) Prequalification / Post Qualification shall be based entirely upon the capability and resources of prospective bidders to perform the particular contract satisfactorily, taking into account their (i) experience and post performance on similar contracts as mentioned above for last two years (ii) experience specially in lime mortar masonry, pointing and lime concrete etc. (iii) financial standing through latest I.T.C.C, Annual report (balance sheet and profit & loss account) of last three years.
2. The Agency /Firms / Contractors etc. must have necessary infrastructure and Tools & Plants, Machinery, Equipments, technical personnel, supervisors, skilled labourers etc. for execution of the tender work.

Before commencing of works, it shall be obligatory for the Agency / Firm to obtain at his own cost, insurance cover from reputed companies for following requirements.

Note: Bidder should submit authenticated proof of turnover amount and experience as indicated above failing which the Bid will be summarily rejected.

GENERAL CONDITIONS:

1. Preparation and Submission of Tender: The tender should be submitted in two parts i.e. **Technical Bid** and **Price Bid**. The Technical Bid and the Price Bid should be sealed by the bidder in two separate covers "Price Bid super-scribed with tender number" and "Price Bid super-scribed with tender number ". Both Sealed Envelopes should be kept in a main/ bigger envelope super-scribed as with "**TENDER NUMBER**". Tender not adhering to this condition will be rejected.
2. The Price Bids (Annexure II) of bidders who have qualified in the Technical Bid (Cover I – Annexure I)-only will be opened and the rest will be rejected.
3. Earnest Money Deposit: The bidder shall be required to submit refundable amount of RS.50,650/- (Rupees Fifty thousand Six hundred fifty only) as Earnest Money Deposit (EMD) and a non-refundable tender fee for an amount of 525/-(Rupees Five hundred and Twenty five)(500/- for tender cost and 5% for VAT) by way of demand drafts only. The demand drafts shall be drawn in favour of "Superintending Archaeologist, Bhubaneswar circle" payable Bhubaneswar. The demand drafts for earnest money deposit must be enclosed in the envelope containing the **COVER I (technical bid)**. The EMD of the successful bidder shall be returned after the successful completion of contract / order and for unsuccessful bidder(s) it would be returned after award of the contract. Bid(s) received without demand draft of EMD / Tender Fees will be rejected.
4. Currency: Rate should be quoted in Indian Rupees (INR) including transportation, loading unloading and all taxes etc.
5. Validity: The rates quoted by the bidder must be valid till the completion of work from the date of the bid. The overall offer for the assignment and bidder(s) quoted price shall remain unchanged during the period of validity. If the bidder quoted the validity shorter than the required period, the same will be treated as unresponsive and it will be rejected. In case the bidder withdraws, modifies or changes their offer during the validity period, bid is liable to be rejected and the earnest money deposit shall be forfeited without assigning any reason thereof. The bidder should also be ready to extend the validity, if required, without changing any terms, conditions etc. of their original tender.
6. Payment Term: To be made according to the completion of work as per specification given in tender schedule being verified by the Gazetted Officer/Engineering Officer of Bhubaneswar Circle
7. The Superintending Archaeologist Bhubaneswar Circle reserves the right to accept in part or in full or reject any or more quotation(s) without assigning any reasons or cancel the tendering process or and reject all quotations at any time prior to award of contract, without incurring any liability, whatsoever to the affected bidder or bidder(s).
8. Machinery and Equipments brought to the site by the Agency at their own risk.
9. Contract may terminate at any time without any prior notice if service of bidder not found Satisfactory.

1. The bidders are subject to be disqualified if they have:

- a) Made misleading or false representations in the forms, statements and attachments submitted in proof of the qualification requirements: and/ or
- b) Record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history, or financial failures etc.: and or
- c) Participated in the previous bidding for the same work and had quoted unreasonable prices and could not furnish rational justification to the Engineer-in-charge.
- d) Indulged in unlawful & corrupt means in obtaining bids.
- e) Been black listed/their registrations by the competent authority.

2. Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The Bidder shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates.
3. The bidders, in preparing the bid, shall rely on site investigation reports referred to in the Contract Data, supplemented by any information available to the bidder..
4. The bidder is expected to examine carefully all instructions, conditions of contract as per terms and conditions etc.
5. All the work will be supervised by the site in-charge and also inspected by team of officers of ASI as and when required. The contractor is liable to answer all the queries.
6. The contractor shall bear cost of various incidentals, sundries and contingencies necessitated by work e.g. Rent, Royalties, Cess and other charges of materials, Octroi and all other taxes including prevailing Sales Tax/VAT, EPF/ESI from time to time. Ferry tolls, conveyance charges and other cost including temporary building required by the tenderer for collection of materials, storage, housing of staff or other purpose of the work are to be borne by the contractor at his own cost. No rent will be payable to Govt. for temporary occupation of land owned by the Authority at the site of the work for bonafide use of the land for work and all such construction of temporary nature by the contractor shall be done after obtaining written permission from the Authority and all such construction shall have to be demolished and debris removed and ground made cleared after completion of the work at no extra cost.
7. The contractor shall furnish a certificate along with the tender to the effect that he is not related to any officer in the rank of an Assistant Engineer and above in Archaeological Survey of India. If the fact subsequently proved to be false, the contract is liable to be rescinded. The EMD and total Security Money will be forfeited and he shall be liable of make good to damages the loss or damages resulting for such cancellation.
8. The tenderer shall have to abide by the Archaeological Works Code and CPWD Safety code rules.
9. If there is any damage to the work due to natural calamities like due to natural calamities like flood or cyclone or any other cause during the course of execution of work or up to 6 months after completion of work or if any, imperfection, becomes apparent to the work within 6 months from the date of final certificate of completion of work the contractor shall make good of all such damages at his own cost with no extra cost to the Department.
10. From the commencement of the works to the completion of the same, they are to be under the contractor's charges. The contractor is to be held responsible to make good all injuries, damages and repairs occasioned or rendered necessary the same by fire or other cause and they hold the Govt. of India harmless for any claims for injuries to person or structural damage to property happening for any neglect, default, want of proper care or misconduct on the part of the contractor or any one in his employment during the execution of the work. Also no claim shall be entertained for loss due to earthquake, flood, cyclone, epidemic, riot or any other calamity whether natural or incidental damages so caused will have to be made good by the contractor at his own cost.

Superintending Archaeologist

COVER-II (Price Bid)

TENDER FOR EXECUTION OF WORK

Price of Tender Paper: **Rs 525/-**(Rupees Five hundred twenty five only) (500 + 5% VAT)

I/We hereby tender item-wise rate for execution of works / supply of material as described in the under mentioned memorandum according to the specifications within the time and the rates specified subject to the conditions of the contract.

Memorandum: (a) EMD – 2 % of estimated cost i.e. **Rs. 50,650/-**
(b) Security Deposit – 10% up to 1st Rs 1 lakh
7.5% up to next Rs 1 lakh
5% on the rest, above Rs 2 lakh

Note : (a) Payable along with tender.

(b) **Percentage to be deducted from the bill/ deposited after finalization of Tender.**

Name of the work: “Interior Partion & Alluminum Glazed doors at Composite Office Building, Samantarapur, Bhubaneswar”

Place of Delivery/Execution : Execution of work / Supply of materials at **A.S.I Office Composite Building, Samantarapur, Bhubaneswar, Odisha**

Period of execution / supply : 3 Months from the 10th day of issue of work/supply order

Estimated value : **Rs.25,32,500/-**

Sl No	Specifications of work	QTY	UNIT	Rate in Rs (in figures)	Rate in Rs (in Words)	Total
01	(Providing and fixing partition up to ceiling height consisting of G.I. frame and required board, including providing and fixing of frame work made of special section power pressed/roll form G.I. sheet with zinc coating of 120gms/sqm (both side inclusive), consisting of floor and ceiling channel 50mm wide having equal flanges of 32mm and 0.50mm thick, fixed to the floor and ceiling at the spacing of 610mm centre to centre with dash fastener of 12.5mm dia meter 50mm length or suitable anchor fastener or metal screws with nylon plugs and the studs 48mm wide having one flange of 34mm and other flange 36mm and 0.50mm thick fixed vertically within flanges of floor and ceiling channel and placed at a spacing of 610mm centre to centre by 6mm dia bolts and nuts, including fixing of studs along both ends of partition fixed flush to wall with suitable anchor fastener or metal screws with nylon plugs at spacing of 450mm centre to centre, and fixing of boards to both side of frame work	914.70 sqmt	Sqmt.			

	<p>by 25mm long dry wall screws on studs, floor and ceiling channels at the spacing of 300mm centre to centre. The boards are to be fixed to the frame work with joints staggered to avoid through cracks, M.S. fixing channel of 99mm width (0.9mm thick having two flanges of 9.5mm each) to be provided at the horizontal joints of two boards, fixed to the studs using metal to metal flat head screws, including jointing and finishing to a flush finish with recommended jointing compound, jointing tape, angle beads at corners (25mmX25mmX0.5mm), joint finisher and two coats of primer suitable for board as per manufacture's specification and direction of engineer in charge all complete.)</p> <ul style="list-style-type: none"> • 66mm overall thickness partition using 8mm thick double skin non-asbestos multipurpose cement board reinforced with cellulose fibre manufactured through autoclaving process (High pressure steam cured) as per with suitable fibre cement screws. <p>Conditions:</p> <ul style="list-style-type: none"> • Manufacturer of Non-asbestos Cement Boards should be Visaka Industries or Everest Industries. • Manufacturer of All Type of Channels & Studs should be Gyproc India (Saint-Gobain) or equivalent. • Materials are to be approved before execution of Work. • 					
02	<p>Providing and applying white cement based putty of average thickness 1.0mm, of approved brand and manufacturer, over the non-asbestos cement board wall surface to prepare the surface even and smooth complete.</p> <p>Conditions</p> <p>Manufacturer of white cement based putty should be Birla White & Materials are to be got approved before execution of Work.</p>	1829.40 sqmt	Sqmt.			
03	<p>Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade on new work (two or more coats) over and including water thinnable priming coat with cement primer.</p> <p>Conditions:</p> <ul style="list-style-type: none"> • Manufacturer of distemper should be Asian Paints/Berger Paints or Similar & Materials are to be got approved before execution of Work. 	1829.40 sqmt	Sqmt.			

04	<p>Tile (8mm thick) work in dado over 12mm thick bed of cement mortar 1:3 (1cement :3coarse sand) and jointed with grey cement slurry, including pointing in white cement mixed with pigment of matching shade complete.</p> <p>Conditions:</p> <ul style="list-style-type: none"> • Manufacturer of distemper should be Somany or Kazaria & Materials are to be got approved before execution of Work. • 	87.24 sqmt	Sqmt			
05	<p>Providing and fixing aluminium work with powder coated aluminium (minimum thickness of powder coating 50micron) for doors with extruded built up standard tubular sections/appropriate Z-sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing/panelling, C.P. brass/stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, panelling and dash fasteners to be paid for separately)</p> <p>Conditions:</p> <ul style="list-style-type: none"> • Manufacturer of Aluminium should be Hindalco Industries Ltd. (Aditya Birla Group) / Alom Group of Industries. • Thickness for both Fixed & Openable sections not to be less than 1.5mm. • Weight of Aluminium is to be checked & Quality of Materials are to be got approved before execution of Work. • 	937.6 5kg	Kg			
06	<p>Providing and fixing glazing with float glass panes of 5.5mm thickness in aluminium doors with EPDM rubber/neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item)</p> <p>Conditions:</p> <ul style="list-style-type: none"> • Manufacturer of Glass Panes should be Saint-Gobain or AIS. • Materials are to be got approved before execution of Work. 	60.16 sqmt	Sqmt			

07	<p>Providing and fixing powder coated, minimum thickness of 50micron aluminum tubular handle bar 32mm outer dia, 3.0mm thick & 2100mm long with S.S. screws etc. complete as per direction of Engineer-in-Charge.</p> <p>Conditions:</p> <ul style="list-style-type: none"> • Manufacturer of Tubular Handles should be Hardwyn or equivalent and/or Powder coated, minimum thickness of 50micron aluminium American handle of length 200mm with S.S. screws etc. • Materials are to be approved before execution of Work. 	94 nos	No			
08	<p>Providing and fixing 100mm brass locks (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.</p> <p>Conditions:</p> <ul style="list-style-type: none"> • Manufacturer of Tubular Handles should be Godrej. • Materials are to be got approved before execution of Work. 	47 nos	No			
09	<p>Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS:6315, having brand logo embossed on the body/plate (stainless steel cover plate minimum 1.25mm thickness) with double spring mechanism and door weight up to 125kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge.</p> <p>Conditions:</p> <ul style="list-style-type: none"> • Manufacturer of Double Action Hydraulic Floor Spring should be Godrej or Hrdwyn. • Materials are to be got approved before execution of Work. 	47 nos	No			
				Total		

In words:.....

Should this tender be accepted, I/We hereby agreed to abide by and fulfill all the terms and provisions of the said conditions annexed hereto so far as applicable, and/or in default thereof to forfeit and pay to the President of India or his successor in office the sum of money mentioned in the said conditions. A sum of Rs..... is forwarded herewith in Cash/DD/Pay Order as Earnest Money. If I/We fail to commence the work to specified in the above memorandum or if I/We fail to deposit the amount of security deposit specified against (a) in the above memorandum in accordance with the clause 1 of the said conditions of contract I/We agree that the said President or his successors in office shall, without prejudice to any other right or remedy, shall be retained by him towards such Security Deposit. I/We further agree that the said President or his successors in office shall also be at liberty to cancel the acceptance of the tender if I/We fail to deposit security amount to aforesaid.

Give particulars & number

Signature

Address

Signature of witness to Signature of tender:

Address.

Dated the 2016

The above tender is hereby accepted by me on behalf of the President of India

Dated the.....2016

Signature of the officer by whom the tender is accepted.

Para 13.2.4 of A.W. Code

Sl. No.

- i) Sale Price :
- ii) Name of Contractor :
- iii) Date of application for tender form by contractor :
- iv) Date of receipt of application in Circle/Branch office. :
- v) Date of Issue of Tender Paper :
- vi) Date of receipt of Tender Paper :
- vii) Details of cutting, over-writing and erasing found on the Tender at the time of opening. :
- viii) Name and designation of officers/ Contractors present at the time of Opening the Tender. :

(a)

(b)

Official side

Bidder side

1)

1)

2)

2)

3)

3)

4)

4)

5)

5)

6)

6)